





MLR System Component Overview - VodeRails

(See individual technical sheets for more detail)



BeeRail™ - 1.125" Ø extruded aluminum micro-spine designed for exposed bulb or diffuser attachment to structure. Hub design features 370° rotation, angle-gauge and lock-screw. Brushed and clearcoated aluminum finish. Mounts to Single or Double Arm.

- 2' 105-TBE-24-AL
- 3' 105-TBE-36-AL
- 4' 105-TBE-48-AL
- 5' 105-TBE-60-AL





WingRail™ - 1.125" x 2.125" extruded aluminum stepped reflector design for asymmetric wash distribution. Hub design features 370° rotation, angle-gauge and lock-screw. Brushed and clearcoated aluminum finish. Mounts to Single or Double Arm.

- 2' 105-TWG-24-AL
- 3' 105-TWG-36-AL
- 4' 105-TWG-48-AL
- 5' 105-TWG-60-AL
- 8' 105-TWG-96-AL





RaceRail™ - Purest geometry – Circle, 1.125" Ø extruded aluminum stepped reflector. Hub design features 370° rotation, angle-gauge and lock-screw. Collimating and glare-shielding lens (optional). Brushed and clearcoated aluminum finish. Mounts to Single or Double Arm.

- 2' 105-TRR-24-AL
- 3' 105-TRR-36-AL
- 4' 105-TRR-48-AL
- 5' 105-TRR-60-AL
- 8' 105-TRR-96-AL





BoxRail™ - Purest geometry – Square, 1.125" x 1.125" extruded aluminum stepped reflector. Collimating and glare-shielding lens (optional). Hub design features 370° rotation, angle-gauge and lock-screw. Brushed and clearcoated aluminum finish. Mounts to Single or Double Arm.

- 2' 105-TBX-24-AL
- 3' 105-TBX-36-AL
- 4' 105-TBX-48-AL
- 5' 105-TBX-60-AL
- 8' 105-TBX-96-AL



QueRail™ - 1.125" x 3.3". Extruded aluminum stepped reflector design for symmetric wash distribution. Luminaire efficiency 63.8%. Hub design features 370° rotation, angle-gauge and lock-screw. Brushed and clearcoated aluminum finish. Mounts to Single or Double Arm.

- 2' 105-TQU-24-AL
- 3' 105-TQU-36-AL
- 4' 105-TQU-48-AL
- 5' 105-TQU-60-AL
- 8' 105-TQU-96-AL







MLR System Components - VodeTees VodeArms



Single Tee- (pair) Allows a pair of VodeRails to be connected to an Arm. Used only at each end of Rail System. Ceiling or wall mount systems. 1/2" x 1" extruded aluminum structure. Available up to 96". Brushed and clearcoated aluminum finish. No wiring included. Wiring harness included with Arm.

3.5"	100-TES-04-AL
6"	100-TES-06-AL
12"	100-TES-12-AL
18"	100-TES-18-AL
24"	100-TES-24-AL
36"	100-TES-36-AL
48"	100-TES-48-AL
XX	100-TES-XX-AL (specify custom dimension)





Double Tee- (pair) Allows a pair of VodeRails to be connected to an Arm. Used where VodeRails join. Ceiling or wall mount systems. 1" x 1" extruded aluminum structure. Available up to 96". Brushed and clearcoated aluminum finish. No wire included. Wiring harness included with Arm.

3.5"	100-TED-04-AL
6"	100-TED-06-AL
12"	100-TED-12-AL
18"	100-TED-18-AL
24"	100-TED-24-AL
36"	100-TED-36-AL
48"	100-TED-48-AL
XX	100-TED-XX-AL (specify custom dimension)




Single Arm - (pair) connects any VodeRail to Integral Ballast Housing or any Vode canopy. Used only at each end of Rail System. Ceiling or wall mount. 1/2" x 1" extruded aluminum structure. Available up to 96". Brushed and clearcoated aluminum finish. One arm includes 14', 4-wire power harness for lamp to ballast connection.

6"	100-ASB-06-AL
12"	100-ASB-12-AL
18"	100-ASB-18-AL
24"	100-ASB-24-AL
36"	100-ASB-36-AL
48"	100-ASB-48-AL
XX	100-ASB-XX-AL (specify custom dimension)





Wall-mounted versions over 24" include 5/64" stainless steel support cable.

Wall mount > 24"	
24"	100-ASC-24-AL
36"	100-ASC-36-AL
48"	100-ASC-48-AL
XX	100-ASC-XX-AL (specify custom dimension)




Double Arm - Connects any VodeRail to Integral Ballast Housing or any Vode canopy. Used where VodeRails join. Ceiling or wall mount. 1" x 1" extruded aluminum structure. Available up to 96". Brushed and clearcoated aluminum finish. Includes 14', 4-wire power harness for lamp to ballast connection.

6"	100-ADB-06-AL
12"	100-ADB-12-AL
18"	100-ADB-18-AL
24"	100-ADB-24-AL
36"	100-ADB-36-AL
48"	100-ADB-48-AL
XX	100-ADB-XX-AL (specify custom dimension)



Wall-mounted versions over 24" include 5/64" stainless steel support cable.

Wall mount > 24"	
24"	100-ADC-24-AL
36"	100-ADC-36-AL
48"	100-ADC-48-AL
XX	100-ADC-XX-AL (specify custom dimension)







MLR System Components - VodeCanopies



4.5" Round Canopy, single- Includes all hardware to mount Single Arm to any standard Jbox. Used only at each end of Rail System. Ceiling or wall mount systems. 4.5"Ø x .25" deep stamped aluminum. Brushed and clearcoated aluminum finish.

100-CRS-4-AL





4.5" Round Canopy, double- Includes all hardware to mount Double Arm to any standard Jbox. Ceiling or wall mount systems. 4.5"Ø x .25" deep stamped aluminum. Brushed and clearcoated aluminum finish.

100-CRD-4-AL





4.5" Square Canopy, single - Includes all hardware to mount Single Arm to any standard Jbox. Used only at each end of Rail System. Ceiling or wall mount systems. 4.5"w x 4.5"h x .25"d stamped aluminum. Brushed and clearcoated aluminum finish.

100-CSS-4-AL





4.5" Square Canopy, double - Includes all hardware to mount Double Arm to any standard Jbox. Ceiling or wall mount systems. 4.5"w x 4.5"h x .25"d stamped aluminum. Brushed and clearcoated aluminum finish.

100-CSD-4-AL





2.5" Round Canopy, single - Includes all hardware to mount Single Arm to frame construction. Includes Vode miniature Jbox. Used only at each end of Rail System. Ceiling or wall mount systems. 2.5"Ø x .25" deep stamped aluminum. Brushed and clearcoated aluminum finish.

100-CRD-2-AL





2.5" Round Canopy, double - Includes all hardware to mount Double Arm to frame construction. Includes Vode miniature Jbox. Ceiling or wall mount systems. 4.5"Ø x .25" deep stamped aluminum. Brushed and clearcoated aluminum finish.

100-CRD-2-AL



2.5" Square Canopy, single - Includes all hardware to mount Single Arm to frame construction. Includes Vode miniature Jbox. Used only at each end of Rail System. Ceiling or wall mount systems. 2.5"Ø x .25" deep stamped aluminum. Brushed and clearcoated aluminum finish.

100-CSS-2-AL



2.5" Square Canopy, double - Includes all hardware to mount Double Arm to frame construction. Includes Vode miniature Jbox. Ceiling or wall mount systems. 4.5"Ø x .25" deep stamped aluminum. Brushed and clearcoated aluminum finish.

100-CSD-2-AL

